

Tigd4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13469**Specification**

Tigd4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8BUZ3
Other Accession	NM_207278 , NP_997161
Reactivity	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56kDa KDa

Tigd4 antibody - N-terminal region - Additional Information**Gene ID** 403175**Alias Symbol** C130063O11Rik, Gm418**Other Names**

Tigger transposable element-derived protein 4, Tigd4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Tigd4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Tigd4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Tigd4 antibody - N-terminal region - Protein Information**Name** Tigd4**Cellular Location**


Nucleus.

Tigd4 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tigd4 antibody - N-terminal region - Images



WB Suggested Anti-Tigd4 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Heart

Tigd4 antibody - N-terminal region - References

Carninci P., et al. Science 309:1559-1563(2005).