

Pdcl2 Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13487**Specification**

Pdcl2 Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q78Y63
Other Accession	NM_023508 , NP_075997
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

Pdcl2 Antibody - N-terminal region - Additional Information**Gene ID** 79455**Alias Symbol** **1700010B22Rik, 1700016K07Rik, Mgcphlp, Tphlp****Other Names**

Phosducin-like protein 2, MgcPhLP, Phosducin-like protein similar 1, Pdcl2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Pdcl2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Pdcl2 Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Pdcl2 Antibody - N-terminal region - Protein Information**Name** Pdcl2**Pdcl2 Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Pdcl2 Antibody - N-terminal region - Images



WB Suggested Anti-Pdcl2 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Testis

Pdcl2 Antibody - N-terminal region - References

Lopez P., et al. J. Biol. Chem. 278:1751-1757(2003).
Carninci P., et al. Science 309:1559-1563(2005).
Wilsbacher L.D., et al. Genome Res. 10:1928-1940(2000).