

BTNL9 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13497**Specification**

BTNL9 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q6UXG8
Other Accession	NM_152547 , NP_689760
Reactivity	Human, Horse
Predicted	Human, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60kDa KDa

BTNL9 antibody - N-terminal region - Additional Information**Gene ID** 153579

Alias Symbol	BTN3, VDLS1900
Other Names	
Butyrophilin-like protein 9, BTNL9	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BTNL9 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

BTNL9 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BTNL9 antibody - N-terminal region - Protein Information**Name** BTNL9**Cellular Location**

Membrane; Single-pass type I membrane protein


BTNL9 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BTNL9 antibody - N-terminal region - Images



WB Suggested Anti-BTNL9 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: 293T cell lysate

BTNL9 antibody - N-terminal region - References

Clark H.F., et al. Genome Res. 13:2265-2270(2003).

Ota T., et al. Nat. Genet. 36:40-45(2004).

Schmutz J., et al. Nature 431:268-274(2004).

Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.