

CCDC105 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13530**Specification**

CCDC105 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8IYK2
Other Accession	NM_173482 , NP_775753
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Mouse, Rabbit, Pig, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

CCDC105 antibody - C-terminal region - Additional Information**Gene ID** 126402

Alias Symbol	FLJ40365
Other Names	
Coiled-coil domain-containing protein 105, CCDC105	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CCDC105 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

CCDC105 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


CCDC105 antibody - C-terminal region - Protein Information**Name** TEKTL1 ([HGNC:26866](#))**Synonyms** CCDC105**CCDC105 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CCDC105 antibody - C-terminal region - Images



WB Suggested Anti-CCDC105 Antibody Titration: 1.0 µg/ml
Positive Control: Hela Whole Cell

CCDC105 antibody - C-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Grimwood J., et al. Nature 428:529-535(2004).
Bechtel S., et al. BMC Genomics 8:399-399(2007).