

Schip1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13618**Specification**

Schip1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q3TI53
Other Accession	NM_001113421 , NP_001106892
Reactivity	Human, Mouse, Rat, Rabbit, Goat, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted Host	Mouse, Rat
Clonality	Rabbit
Calculated MW	Polyclonal 53kDa KDa

Schip1 antibody - N-terminal region - Additional Information

Alias Symbol	Nf2ip, SCHIP-1, Schip-1a, Schip-1b, Schip-1
Other Names	
Schwannomin-interacting protein 1, SCHIP-1, Schip1	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Schip1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Schip1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


Schip1 antibody - N-terminal region - Protein Information**Schip1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

Schip1 antibody - N-terminal region - Images



WB Suggested Anti-Schip1 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Heart

Schip1 antibody - N-terminal region - References

Martin P.M., et al. J. Neurosci. 28:6111-6117(2008).
Carninci P., et al. Science 309:1559-1563(2005).
Church D.M., et al. PLoS Biol. 7:E1000112-E1000112(2009).
Goutebroze L., et al. Mol. Cell. Biol. 20:1699-1712(2000).