

Bend6 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13809**Specification**

Bend6 antibody - C-terminal region - Product Information

Application	WB
Other Accession	NM_001108792 , NP_001102262
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	31kDa KDa

Bend6 antibody - C-terminal region - Additional Information

Alias Symbol **RGD1310392, Bend6**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Bend6 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Bend6 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Bend6 antibody - C-terminal region - Protein Information**Bend6 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Bend6 antibody - C-terminal region - Images



90 kDa
65 kDa
40 kDa
29 kDa
22 kDa

WB Suggested Anti-Bend6 Antibody Titration: 1.0 μ g/ml
Positive Control: Rat lung