

Med19 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13820**Specification**

Med19 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	D3ZAP1
Other Accession	NM_001107741 , NP_001101211
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27kDa kDa

Med19 antibody - N-terminal region - Additional Information

Alias Symbol **RGD1311926, Med19**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Med19 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Med19 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Med19 antibody - N-terminal region - Protein Information**Med19 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Med19 antibody - N-terminal region - Images



WB Suggested Anti-Med19 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Liver