

Nap1I5 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13821**Specification**

Nap1I5 antibody - middle region - Product Information

Application	WB
Primary Accession	O9JIF0
Other Accession	NM_021432 , NP_067407
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted Host	Human, Pig, Horse, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 17kDa KDa

Nap1I5 antibody - middle region - Additional Information**Gene ID** 58243

Alias Symbol	1110020M21Rik
Other Names	
Nucleosome assembly protein 1-like 5, Nap1I5	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Nap1I5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Nap1I5 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Nap1I5 antibody - middle region - Protein Information**Name** Nap1I5**Cellular Location**


Nucleus.

Nap1I5 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Nap1I5 antibody - middle region - Images



WB Suggested Anti-Nap1I5 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Small Intestine

Nap1I5 antibody - middle region - References

Osada N., et al. Submitted (APR-2000) to the EMBL/GenBank/DDBJ databases.