

SGK3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13822**Specification**

SGK3 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	A6NEJ5
Other Accession	NM_170709 , NP_733827
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa

SGK3 antibody - N-terminal region - Additional Information

Alias Symbol **CISK, DKFZp781N0293, SGK2, SGKL**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SGK3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SGK3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SGK3 antibody - N-terminal region - Protein Information**SGK3 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SGK3 antibody - N-terminal region - Images



Spleen



WB Suggested Anti-SGK3 Antibody Titration: 0.2-1 $\mu\text{g/ml}$

ELISA Titer: 1:1562500

Positive Control: SH-SY5Y cell lysate