

SCFD1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13867**Specification**

SCFD1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	B7Z4U7
Other Accession	NM_182835 , NP_878255
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	65kDa KDa

SCFD1 antibody - N-terminal region - Additional Information

Alias Symbol	C14orf163, KIAA0917, RA410, SLY1, STXBP1L2
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SCFD1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

SCFD1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SCFD1 antibody - N-terminal region - Protein Information**SCFD1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SCFD1 antibody - N-terminal region - Images

WB Suggested Anti-SCFD1 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: HepG2 cell lysate