

RSPH10B antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13893**Specification**

RSPH10B antibody - middle region - Product Information

Application	WB
Primary Accession	B2RC85
Other Accession	NM_173565 , NP_775836
Reactivity	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	96kDa KDa

RSPH10B antibody - middle region - Additional Information**Gene ID** 728194

Alias Symbol	MGC50833, RSPH10B2
Other Names	
Radial spoke head 10 homolog B2, RSPH10B2	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RSPH10B antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

RSPH10B antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

RSPH10B antibody - middle region - Protein Information**Name** RSPH10B2**Function**

May function as part of the axonemal radial spoke complex 3 (RS3). Radial spoke complexes are important for ciliary motility.

Cellular Location


Cytoplasm, cytoskeleton, cilium axoneme {ECO:0000250|UniProtKB:E9PYQ0}. Cell projection, cilium. Cell projection, cilium, flagellum

RSPH10B antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RSPH10B antibody - middle region - Images



WB Suggested Anti-RSPH10B Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Jurkat cell lysate

RSPH10B antibody - middle region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).

Hillier L.W., et al. Nature 424:157-164(2003).