

UCHL5IP antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI14041**Specification**

UCHL5IP antibody - middle region - Product Information

Application	WB
Primary Accession	Q99871
Other Accession	NM_207107 , NP_996990
Reactivity	Human, Mouse, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rabbit, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	47kDa KDa

UCHL5IP antibody - middle region - Additional Information**Gene ID** 55559**Alias Symbol** **HSXQ28ORF, UIP1, UCHL5IP****Other Names**

HAUS augmin-like complex subunit 7, 26S proteasome-associated UCH37-interacting protein 1, UCHL5-interacting protein, X-linked protein STS1769, HAUS7, UCHL5IP, UIP1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-UCHL5IP antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

UCHL5IP antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

UCHL5IP antibody - middle region - Protein Information**Name** HAUS7**Synonyms** UCHL5IP, UIP1**Function**

Contributes to mitotic spindle assembly, maintenance of centrosome integrity and completion of cytokinesis as part of the HAUS augmin-like complex.

Cellular Location

Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytoskeleton, spindle. Note=Localizes to interphase centrosomes and to mitotic spindle microtubules.

Tissue Location


Detected in spleen, thymus, testis, ovary, small intestine and colon, with highest levels of expression in testis and ovary.

UCHL5IP antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

UCHL5IP antibody - middle region - Images



WB Suggested Anti-UCHL5IP Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Hela cell lysate

HAUS7 is strongly supported by BioGPS gene expression data to be expressed in Human HeLa cells