

TBC1D19 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI14072**Specification**

TBC1D19 antibody - middle region - Product Information

Application	WB
Primary Accession	Q8N5T2
Other Accession	NM_018317 , NP_060787
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60kDa KDa

TBC1D19 antibody - middle region - Additional Information**Gene ID** 55296**Alias Symbol** **FLJ11082****Other Names**

TBC1 domain family member 19, TBC1D19

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TBC1D19 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

TBC1D19 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

TBC1D19 antibody - middle region - Protein Information**Name** TBC1D19**Function**


May act as a GTPase-activating protein for Rab family protein(s).

TBC1D19 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TBC1D19 antibody - middle region - Images



WB Suggested Anti-TBC1D19 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: HT1080 cell lysate

TBC1D19 antibody - middle region - References

- Ishibashi K., et al. Genes Cells 14:41-52(2009).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Hillier L.W., et al. Nature 434:724-731(2005).