

Ccnj antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14100**Specification**

Ccnj antibody - C-terminal region - Product Information

Application	WB
Primary Accession	D4A1H5
Other Accession	NM_001106369 , NP_001099839
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	41kDa KDa

Ccnj antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Ccnj antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Ccnj antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Ccnj antibody - C-terminal region - Protein Information**Ccnj antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Ccnj antibody - C-terminal region - Images



WB Suggested Anti-Ccnj Antibody Titration: 1.0 µg/ml
Positive Control: Rat Liver