

C12orf4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14112**Specification**

C12orf4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9NQ89
Other Accession	NM_020374 , NP_065107
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Horse, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 64kDa KDa

C12orf4 antibody - N-terminal region - Additional Information**Gene ID** 57102

Alias Symbol	FLJ21158, FLJ23899
Other Names	
Protein C12orf4, C12orf4	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-C12orf4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

C12orf4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

C12orf4 antibody - N-terminal region - Protein Information**Name** C12orf4**Function**

Plays a role in mast cell degranulation.

Cellular Location


Cytoplasm {ECO:0000250|UniProtKB:D4A770}.

C12orf4 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

C12orf4 antibody - N-terminal region - Images



WB Suggested Anti-C12orf4 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: PANC1 cell lysate

C12orf4 antibody - N-terminal region - References

White K.E., et al. Nat. Genet. 26:345-348(2000).

Bechtel S., et al. BMC Genomics 8:399-399(2007).

Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.