

Arih2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14225**Specification**

Arih2 Antibody - C-terminal region - Product Information

Application	IHC, WB
Primary Accession	D3ZJB8
Other Accession	NM_001012275 , NP_001012275
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

Arih2 Antibody - C-terminal region - Additional Information

Alias Symbol **ARI2, TRIAD1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Arih2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Arih2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Arih2 Antibody - C-terminal region - Protein Information**Arih2 Antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Arih2 Antibody - C-terminal region - Images



Rabbit Anti-Arih2 Antibody
Catalog Number: AI14225
Formalin Fixed Paraffin Embedded Tissue: Human Adult heart Observed Staining: Nuclear
Primary Antibody
Concentration: 1:100
Secondary Antibody: Donkey anti-Rabbit-Cy2/3
Secondary Antibody
Concentration: 1:200
Magnification: 20X
Exposure Time: 0.5 – 2.0 sec
Protocol located in Reviews and Data.



Host: Rabbit
Target Name: Arih2
Sample Tissue: Rat Testis lysates
Antibody Dilution: 1.0 µg/ml



WB Suggested Anti-Arih2 antibody Titration: 1 µg/ml
Sample Type: Human heart