

TBX10 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI14244**Specification**

TBX10 antibody - middle region - Product Information

Application	WB
Primary Accession	O75333
Other Accession	NM_005995 , NP_005986
Reactivity	Human, Bovine
Predicted	Human, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	42kDa KDa

TBX10 antibody - middle region - Additional Information**Gene ID** 347853**Alias Symbol** **TBX13, TBX7****Other Names**

T-box transcription factor TBX10, T-box protein 10, TBX10, TBX7

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TBX10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

TBX10 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

TBX10 antibody - middle region - Protein Information**Name** TBX10**Synonyms** TBX7**Function**

Probable transcriptional regulator involved in developmental processes.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00201}.

TBX10 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TBX10 antibody - middle region - Images



WB Suggested Anti-TBX10 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:62500

Positive Control: Jurkat cell lysate

TBX10 antibody - middle region - References

Bush J.O., et al. Gene Expr. Patterns 3:533-538(2003).

Law D.J., et al. Mamm. Genome 9:397-399(1998).