

Tbx10 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI14245**Specification**

Tbx10 antibody - middle region - Product Information

Application	WB
Primary Accession	Q810F8
Other Accession	NM_001001320 , NP_001001320
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Rat, Pig, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 42kDa KDa

Tbx10 antibody - middle region - Additional Information**Gene ID** 109575**Alias Symbol** Dc, MGC129316, MGC129317, Tbx13, Tbx7**Other Names**

T-box transcription factor TBX10, T-box protein 10, MmTBX7, T-box protein 13, Tbx10, Tbx13, Tbx7

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Tbx10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Tbx10 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Tbx10 antibody - middle region - Protein Information**Name** Tbx10**Synonyms** Tbx13, Tbx7**Function**

Probable transcriptional regulator involved in developmental processes.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00201}.

Tbx10 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tbx10 antibody - middle region - Images



WB Suggested Anti-Tbx10 Antibody Titration: 1.0 µg/ml

Positive Control: Mouse Liver

Tbx10 antibody - middle region - References

Bush J.O., et al. Gene Expr. Patterns 3:533-538(2003).

Bush J.O., et al. Proc. Natl. Acad. Sci. U.S.A. 101:7022-7027(2004).

Wattler S., et al. Genomics 48:24-33(1998).