

LCN12 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14299**Specification**

LCN12 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8IW14
Other Accession	NM_178536 , NP_848631
Reactivity	Human, Mouse
Predicted	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

LCN12 antibody - N-terminal region - Additional Information

Alias Symbol **MGC34753, MGC48935**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-LCN12 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


LCN12 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

LCN12 antibody - N-terminal region - Protein Information**LCN12 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LCN12 antibody - N-terminal region - Images



WB Suggested Anti-LCN12 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: Human heart