

BBC3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14343**Specification**

BBC3 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q96PG8
Other Accession	NM_001127240 , NP_001120712
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa KDa

BBC3 antibody - N-terminal region - Additional Information**Gene ID** 27113**Alias Symbol** FLJ42994, JFY1, PUMA, JFY-1**Other Names**

Bcl-2-binding component 3, JFY-1, p53 up-regulated modulator of apoptosis, BBC3, PUMA

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BBC3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

BBC3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BBC3 antibody - N-terminal region - Protein Information**Name** BBC3**Synonyms** PUMA**Function**

[Isoform 3]: Does not affect cell growth.

Cellular Location


Note=Contrary to isoforms 1 and 2, isoform 3 does not localize to the mitochondria

BBC3 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BBC3 antibody - N-terminal region - Images



WB Suggested Anti-BBC3 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: Human Placenta

BBC3 antibody - N-terminal region - References

Nakano K., et al. Mol. Cell 7:683-694(2001).

Grimwood J., et al. Nature 428:529-535(2004).

Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.