

Ubtd1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14390**Specification**

Ubtd1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q68FV8
Other Accession	NM_001013153 , NP_001013171
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Rat, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 24kDa KDa

Ubtd1 antibody - C-terminal region - Additional Information**Gene ID** 309373**Other Names**

Ubiquitin domain-containing protein 1, Ubtd1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Ubtd1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Ubtd1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Ubtd1 antibody - C-terminal region - Protein Information**Name** Ubtd1**Function**


May be involved in the regulation of cellular senescence through a positive feedback loop with TP53. Is a TP53 downstream target gene that increases the stability of TP53 protein by promoting the ubiquitination and degradation of MDM2.

Ubtd1 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Ubtd1 antibody - C-terminal region - Images



WB Suggested Anti-Ubtd1 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Muscle