

GCK antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14680**Specification**

GCK antibody - N-terminal region - Product Information

Application	WB
Primary Accession	P35557-3
Other Accession	NM_033508 , NP_277043
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Sheep, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	51kDa KDa

GCK antibody - N-terminal region - Additional Information

Alias Symbol	FGQTL3, GK, GLK, HHF3, HK4, HKIV, HXKP, MODY2, LGLK
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GCK antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

GCK antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GCK antibody - N-terminal region - Protein Information**GCK antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GCK antibody - N-terminal region - Images

WB Suggested Anti-GCK Antibody Titration: 1.0 µg/ml
Positive Control: COLO205 Whole Cell