

**HLA-DOB Antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI14708****Specification**

---

**HLA-DOB Antibody - N-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q5QNS2</a>                                |
| Other Accession   | <a href="#">NM_002120</a> , <a href="#">NP_002111</a> |
| Reactivity        | Human, Rabbit, Pig, Sheep, Horse, Bovine, Dog         |
| Predicted         | Human, Rabbit, Pig, Sheep, Horse, Bovine, Dog         |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 30kDa KDa                                             |

**HLA-DOB Antibody - N-terminal region - Additional Information**

Alias Symbol **DOB**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-HLA-DOB antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**


HLA-DOB Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**HLA-DOB Antibody - N-terminal region - Protein Information****HLA-DOB Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**HLA-DOB Antibody - N-terminal region - Images**



Host: Rabbit  
Target Name: HLA-DOB  
Sample Tissue: HepG2 Whole cell lysate  
S  
Antibody Dilution: 1.0µg/ml