

Diaph2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14710**Specification**

Diaph2 antibody - C-terminal region - Product Information

Application	WB
Other Accession	XM_228441 , XP_228441
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted Host	Human, Rabbit, Horse
Clonality	Rabbit
Calculated MW	Polyclonal 102kDa KDa

Diaph2 antibody - C-terminal region - Additional Information

Alias Symbol **Diap2, RGD1564399**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Diaph2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Diaph2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Diaph2 antibody - C-terminal region - Protein Information**Diaph2 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Diaph2 antibody - C-terminal region - Images



168 kDa__
144 kDa__
90 kDa__
65 kDa__
40 kDa__

WB Suggested Anti-Diaph2 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Brain