

CDK20 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14786**Specification**

CDK20 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8IZL9-2
Other Accession	NM_001170640 , NP_001164111
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Pig, Horse, Bovine, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa KDa

CDK20 antibody - N-terminal region - Additional Information

Alias Symbol **CCRK, CDCH, P42, PNQALRE**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CDK20 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


CDK20 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CDK20 antibody - N-terminal region - Protein Information**CDK20 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CDK20 antibody - N-terminal region - Images



WB Suggested Anti-CDK20 Antibody Titration: 1.0 µg/ml
Positive Control: Jurkat Whole Cell