

ORC3L antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14794**Specification**

ORC3L antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q9UBD5-2
Other Accession	NM_181837 , NP_862820
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted Host	Chicken
Clonality	Rabbit
Calculated MW	Polyclonal 82kDa KDa

ORC3L antibody - C-terminal region - Additional Information

Alias Symbol **LAT, LATHEO, ORC3, ORC3L**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ORC3L antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


ORC3L antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ORC3L antibody - C-terminal region - Protein Information**ORC3L antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ORC3L antibody - C-terminal region - Images



90 kDa__
65 kDa__
40 kDa__
29 kDa__
22 kDa__

WB Suggested Anti-ORC3L Antibody Titration: 1.0 µg/ml

Positive Control: HepG2 Whole Cell ORC3 is supported by BioGPS gene expression data to be expressed in HepG2