

DHRS4L2 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14847**Specification**

DHRS4L2 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q6PKH6
Other Accession	NM_198083 , NP_932349
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	25kDa KDa

DHRS4L2 antibody - C-terminal region - Additional Information**Gene ID** 317749**Alias Symbol** MGC905, SDR25C3**Other Names**

Dehydrogenase/reductase SDR family member 4-like 2, 1.1.-.-, DHRS4L2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DHRS4L2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

DHRS4L2 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

DHRS4L2 antibody - C-terminal region - Protein Information**Name** DHRS4L2 ([HGNC:19731](#))**Function**

Probable oxidoreductase.

Cellular Location


Secreted.

DHRS4L2 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DHRS4L2 antibody - C-terminal region - Images



WB Suggested Anti-DHRS4L2 Antibody Titration: 1.0 µg/ml

Positive Control: 721_B Whole Cell DHRS4L2 is supported by BioGPS gene expression data to be expressed in 721_B

DHRS4L2 antibody - C-terminal region - References

Hiller M., et al. Nucleic Acids Res. 33:5611-5621(2005).