

AADACL3 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14923**Specification**

AADACL3 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5VUY0
Other Accession	NM_001103170 , NP_001096640
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	40kDa KDa

AADACL3 antibody - C-terminal region - Additional Information**Gene ID** 126767**Alias Symbol** **RP11-474O21.3****Other Names**

Arylacetamide deacetylase-like 3, 3.1.1.-, AADACL3

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-AADACL3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

AADACL3 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


AADACL3 antibody - C-terminal region - Protein Information**Name** AADACL3**AADACL3 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

AADACL3 antibody - C-terminal region - Images



WB Suggested Anti-AADACL3 Antibody Titration: 1.0 µg/ml
Positive Control: Hela Whole Cell

AADACL3 antibody - C-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Gregory S.G., et al. Nature 441:315-321(2006).