

RADIL Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14998**Specification**

RADIL Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O96JH8-2
Other Accession	NM_018059 , NP_060529
Reactivity	Human, Rabbit
Predicted	Human, Rabbit
Host	Rabbit
Clonality	Polyclonal
Calculated MW	63kDa KDa

RADIL Antibody - C-terminal region - Additional Information

Alias Symbol **RASIP2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RADIL antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


RADIL Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RADIL Antibody - C-terminal region - Protein Information**RADIL Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RADIL Antibody - C-terminal region - Images



168 kDa
144 kDa
90 kDa
65 kDa
40 kDa

Host: Rabbit
Target Name: RADIL
Sample Tissue: Fetal Brain lysates
Antibody Dilution: 1.0 μ g/ml