

FCGR2A antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15022**Specification**

FCGR2A antibody - C-terminal region - Product Information

Application	WB
Primary Accession	P12318-2
Other Accession	NM_021642 , NP_067674
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

FCGR2A antibody - C-terminal region - Additional Information

Alias Symbol	CD32, CD32A, CDw32, FCG2, FCGR2, FCGR2A1, FcGR, IGFR2, MGC23887, MGC30032
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-FCGR2A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


FCGR2A antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FCGR2A antibody - C-terminal region - Protein Information**FCGR2A antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FCGR2A antibody - C-terminal region - Images



WB Suggested Anti-FCGR2A Antibody Titration: 1.0 µg/ml

ELISA Titer: 1:62500

Positive Control: COLO205 cell lysate