

RPP30 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15131**Specification**

RPP30 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	E9PB02
Other Accession	NM_001104546 , NP_001098016
Reactivity	Human, Rabbit, Horse, Guinea Pig, Dog
Predicted	Human, Rabbit, Pig, Horse, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

RPP30 Antibody - C-terminal region - Additional Information

Alias Symbol **FLJ38491, TSG15**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RPP30 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


RPP30 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RPP30 Antibody - C-terminal region - Protein Information**RPP30 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RPP30 Antibody - C-terminal region - Images



WB Suggested Anti-RPP30 Antibody Titration: 1.0 μ g/ml

Positive Control: 293T Whole Cell RPP30 is supported by BioGPS gene expression data to be expressed in HEK293T