

BCAS1 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15228**Specification**

BCAS1 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	G3XAF7
Reactivity	Human, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Rabbit, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 55kDa KDa

BCAS1 Antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BCAS1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


BCAS1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BCAS1 Antibody - C-terminal region - Protein Information**BCAS1 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BCAS1 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: BCAS1
Sample Tissue: HepG2 Whole cell lysate
s
Antibody Dilution: 1.0µg/ml