

Scube1 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15248**Specification**

Scube1 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q6NZL8
Other Accession	NM_022723 , NP_073560
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	108kDa KDa

Scube1 Antibody - C-terminal region - Additional Information**Gene ID** 64706**Alias Symbol** 7330410C13Rik, A630023E24Rik, AI604862**Other Names**

Signal peptide, CUB and EGF-like domain-containing protein 1, Scube1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Scube1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Scube1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Scube1 Antibody - C-terminal region - Protein Information**Name** Scube1**Function**

Could function as an adhesive molecule and its matrix bound and soluble fragments may play a critical role in vascular biology.

Cellular Location


Secreted {ECO:0000250|UniProtKB:Q8IWIY4}. Cell membrane {ECO:0000250|UniProtKB:Q8IWIY4}; Peripheral membrane protein {ECO:0000250|UniProtKB:Q8IWIY4}

Scube1 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Scube1 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Scube1
Sample Tissue: Mouse Liver lysates
Antibody Dilution: 1.0µg/ml