

**DSN1 Antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI15267****Specification**

---

**DSN1 Antibody - C-terminal region - Product Information**

|                   |                                                                |
|-------------------|----------------------------------------------------------------|
| Application       | WB                                                             |
| Primary Accession | <a href="#">Q5JW55</a>                                         |
| Other Accession   | <a href="#">NM_001145317</a> , <a href="#">NP_001138789</a>    |
| Reactivity        | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Predicted         | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Host              | Rabbit                                                         |
| Clonality         | Polyclonal                                                     |
| Calculated MW     | 28kDa kDa                                                      |

**DSN1 Antibody - C-terminal region - Additional Information**

|              |                                                                |
|--------------|----------------------------------------------------------------|
| Alias Symbol | C20orf172, FLJ13346, KNL3, MGC32987, MIS13, dJ469A13.2, hKNL-3 |
|--------------|----------------------------------------------------------------|

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-DSN1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**


DSN1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**DSN1 Antibody - C-terminal region - Protein Information****DSN1 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## DSN1 Antibody - C-terminal region - Images



WB Suggested Anti-DSN1 Antibody Titration: 1.0 µg/ml

Positive Control: MCF7 Whole Cell DSN1 is supported by BioGPS gene expression data to be expressed in MCF7