

SPAG7 Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15411**Specification**

SPAG7 Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O75391
Other Accession	NM_004890 , NP_004881
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32kDa KDa

SPAG7 Antibody - N-terminal region - Additional Information**Gene ID** 9552

Alias Symbol	ACRP, FSA-1, MGC20134
Other Names	
Sperm-associated antigen 7, SPAG7	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SPAG7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

SPAG7 Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SPAG7 Antibody - N-terminal region - Protein Information**Name** SPAG7**Cellular Location**

Nucleus.

Tissue Location


Detected in fetal brain.

SPAG7 Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SPAG7 Antibody - N-terminal region - Images



WB Suggested Anti-SPAG7 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Liver

SPAG7 Antibody - N-terminal region - References

Mao M., et al. Proc. Natl. Acad. Sci. U.S.A. 95:8175-8180(1998).
Beaton S., et al. Reprod. Fertil. Dev. 6:761-770(1994).
Dephoure N., et al. Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).
Gauci S., et al. Anal. Chem. 81:4493-4501(2009).
Olsen J.V., et al. Sci. Signal. 3:RA3-RA3(2010).