

ARSJ Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15418**Specification**

ARSJ Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5FYB0
Other Accession	NM_024590 , NP_078866
Reactivity	Human, Horse, Bovine, Dog
Predicted	Human, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

ARSJ Antibody - C-terminal region - Additional Information**Gene ID** 79642

Alias Symbol	FLJ23548
Other Names	
Arylsulfatase J, ASJ, 3.1.6.-, ARSJ	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ARSJ antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ARSJ Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ARSJ Antibody - C-terminal region - Protein Information**Name** ARSJ**Cellular Location**

Secreted.


ARSJ Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ARSJ Antibody - C-terminal region - Images



WB Suggested Anti-ARSJ Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Lung

ARSJ Antibody - C-terminal region - References

Sardiello M.,et al.Hum. Mol. Genet. 14:3203-3217(2005).
Obaya A.J.,et al.Gene 372:110-117(2006).
Clark H.F.,et al.Genome Res. 13:2265-2270(2003).
Hillier L.W.,et al.Nature 434:724-731(2005).