

SAMD3 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15459**Specification**

SAMD3 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8N6K7
Other Accession	NM_001017373 , NP_001017373
Reactivity	Human, Rabbit, Bovine
Predicted	Human, Rabbit, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

SAMD3 Antibody - C-terminal region - Additional Information**Gene ID** 154075**Alias Symbol** **FLJ34563, MGC35163****Other Names**

Sterile alpha motif domain-containing protein 3, SAM domain-containing protein 3, SAMD3

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SAMD3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

SAMD3 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


SAMD3 Antibody - C-terminal region - Protein Information**Name** SAMD3**SAMD3 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SAMD3 Antibody - C-terminal region - Images



WB Suggested Anti-SAMD3 Antibody Titration: 1.0 µg/ml
Positive Control: Hela Whole Cell

SAMD3 Antibody - C-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Mungall A.J., et al. Nature 425:805-811(2003).
Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
de Ligt J., et al. N. Engl. J. Med. 367:1921-1929(2012).