

MTMR10 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15517**Specification**

MTMR10 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9NXD2
Other Accession	NM_017762 , NP_060232
Reactivity	Human, Mouse, Horse, Guinea Pig
Predicted	Human, Mouse, Horse, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88kDa KDa

MTMR10 Antibody - C-terminal region - Additional Information**Gene ID** 54893**Other Names**

Myotubularin-related protein 10, MTMR10

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MTMR10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

MTMR10 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


MTMR10 Antibody - C-terminal region - Protein Information**Name** MTMR10**MTMR10 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MTMR10 Antibody - C-terminal region - Images



Host: Rabbit

Target Name: MTMR10

Sample Tissue: ACHN whole cell lysate

s

Antibody Dilution: 1.0µg/ml

MTMR10 Antibody - C-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).

Bechtel S., et al. BMC Genomics 8:399-399(2007).

Zody M.C., et al. Nature 440:671-675(2006).

Olsen J.V., et al. Sci. Signal. 3:RA3-RA3(2010).

Rigbolt K.T., et al. Sci. Signal. 4:RS3-RS3(2011).