

TIMM50 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15715**Specification**

TIMM50 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q0VAB1
Other Accession	NM_001001563 , NP_001001563
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	50kDa KDa

TIMM50 Antibody - C-terminal region - Additional Information

Alias Symbol **TIM50, TIM50L**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TIMM50 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TIMM50 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TIMM50 Antibody - C-terminal region - Protein Information**TIMM50 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TIMM50 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: TIMM50
Sample Tissue: HepG2 Whole cell lysate
S
Antibody Dilution: 1.0µg/ml