10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

C10orf32 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15725

Specification

C10orf32 Antibody - C-terminal region - Product Information

Application	**WB**
Primary Accession	Q96B45
Other Accession	NM_144591, NP_653192
Reactivity	**Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog**
Predicted	**Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**11kDa KDa**

C10orf32 Antibody - C-terminal region - Additional Information

Gene ID 119032

Alias Symbol	**RP11-753C18.6**

Other Names
UPF0693 protein C10orf32, C10orf32

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-C10orf32 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
C10orf32 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

C10orf32 Antibody - C-terminal region - Protein Information

Name BORCS7 (HGNC:23516)

Function
As part of the BORC complex may play a role in lysosomes movement and localization at the cell periphery. Associated with the cytosolic face of lysosomes, the BORC complex may recruit ARL8B and couple lysosomes to microtubule plus-end-directed kinesin motor.

Cellular Location
Lysosome membrane.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

C10orf32 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

C10orf32 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: C10orf32
Sample Tissue: U937 Whole cell lysate
s
Antibody Dilution: 1.0µg/ml

C10orf32 Antibody - C-terminal region - References

Ota T.,et al.Nat. Genet. 36:40-45(2004).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Deloukas P.,et al.Nature 429:375-381(2004).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).
Gauci S.,et al.Anal. Chem. 81:4493-4501(2009).