

MYLK4 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15891**Specification**

MYLK4 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q86YV6
Other Accession	NM_001012418 , NP_001012418
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	44kDa KDa

MYLK4 Antibody - C-terminal region - Additional Information**Gene ID** 340156**Alias Symbol** **SgK085****Other Names**

Myosin light chain kinase family member 4, 2.7.11.1, Sugen kinase 85, SgK085, MYLK4, SGK085

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MYLK4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

MYLK4 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


MYLK4 Antibody - C-terminal region - Protein Information**Name** MYLK4**Synonyms** SGK085**MYLK4 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYLK4 Antibody - C-terminal region - Images



Host: Rabbit

Target Name: MYLK4

Sample Tissue: RPMI-8226 Whole cell lysate

s

Antibody Dilution: 1.0µg/ml

MYLK4 Antibody - C-terminal region - References

Mungall A.J., et al. Nature 425:805-811(2003).

Jikuya H., et al. Submitted (FEB-2003) to the EMBL/GenBank/DDBJ databases.

Manning G., et al. Science 298:1912-1934(2002).

Greenman C., et al. Nature 446:153-158(2007).