

OR51A2 Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15943**Specification**

OR51A2 Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8NGJ7
Other Accession	NM_001004748 , NP_001004748
Reactivity	Human, Pig, Dog
Predicted	Human, Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34kDa KDa

OR51A2 Antibody - N-terminal region - Additional Information

Gene ID 401667

Other Names

Olfactory receptor 51A2, OR51A2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 μ l of distilled water. Final Anti-OR51A2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

OR51A2 Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

OR51A2 Antibody - N-terminal region - Protein Information

Name OR51A2

Function

Odorant receptor.

Cellular Location


Cell membrane; Multi-pass membrane protein.

OR51A2 Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

OR51A2 Antibody - N-terminal region - Images



Host: Rabbit
Target Name: OR51A2
Sample Tissue: RPMI-8226 Whole cell lysate
S
Antibody Dilution: 1.0µg/ml

OR51A2 Antibody - N-terminal region - Background

Odorant receptor.

OR51A2 Antibody - N-terminal region - References

Suwa M., et al. Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.