

**TSGA10IP Antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI15989****Specification**

---

**TSGA10IP Antibody - N-terminal region - Product Information**

|                   |                                                       |
|-------------------|-------------------------------------------------------|
| Application       | WB                                                    |
| Primary Accession | <a href="#">Q3SY00</a>                                |
| Other Accession   | <a href="#">NM_152762</a> , <a href="#">NP_689975</a> |
| Reactivity        | Human, Horse                                          |
| Predicted         | Human, Horse                                          |
| Host              | Rabbit                                                |
| Clonality         | Polyclonal                                            |
| Calculated MW     | 61kDa KDa                                             |

**TSGA10IP Antibody - N-terminal region - Additional Information****Gene ID** 254187**Alias Symbol** **FAM161C****Other Names**

Testis-specific protein 10-interacting protein, Tsga10-interacting protein, TSGA10IP

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 µl of distilled water. Final Anti-TSGA10IP antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

TSGA10IP Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


**TSGA10IP Antibody - N-terminal region - Protein Information****Name** TSGA10IP**TSGA10IP Antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **TSGA10IP Antibody - N-terminal region - Images**



Host: Rabbit  
Target Name: TSGA10IP  
Sample Tissue: OVCAR-3 Whole cell lysate  
s  
Antibody Dilution: 1.0µg/ml

#### **TSGA10IP Antibody - N-terminal region - References**

Ota T.,et al.Nat. Genet. 36:40-45(2004).  
Taylor T.D.,et al.Nature 440:497-500(2006).