

RFX8 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI16025**Specification**

RFX8 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q6ZV50
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	64kDa KDa

RFX8 Antibody - C-terminal region - Additional Information**Gene ID** 731220**Other Names**

DNA-binding protein RFX8, Regulatory factor X 8, RFX8

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & StorageAdd 50 μ l of distilled water. Final Anti-RFX8 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.**Precautions**

RFX8 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

RFX8 Antibody - C-terminal region - Protein Information**Name** RFX8**Function**

May be a transcription factor.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00858}.

RFX8 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RFX8 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: RFX8
Sample Tissue: HT1080 Whole cell lysate
Antibody Dilution: 1.0µg/ml

RFX8 Antibody - C-terminal region - Background

May be a transcription factor.

RFX8 Antibody - C-terminal region - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Hillier L.W., et al. Nature 434:724-731(2005).