

PDCD4 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI16196**Specification**

PDCD4 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O15501
Other Accession	NM_014456 , NP_055271
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Bovine, Neisseria Gonorrhoeae, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Bovine, Neisseria Gonorrhoeae, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52kDa KDa

PDCD4 antibody - N-terminal region - Additional Information

Alias Symbol **H731**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-PDCD4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PDCD4 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PDCD4 antibody - N-terminal region - Protein Information**PDCD4 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PDCD4 antibody - N-terminal region - Images



Host: Rabbit
Target Name: PDCD4
Sample Tissue: Human Fetal Heart
Antibody Dilution: 1.0µg/ml



WB Suggested Anti-PDCD4 Antibody Titration: 10 µg/ml
Positive Control: Jurkat Whole Cell