

PACSIN1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI16213**Specification**

PACSIN1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5TZC3
Other Accession	NM_020804 , NP_065855
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Neisseria Gonorrhoeae, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Neisseria Gonorrhoeae, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	51kDa KDa

PACSIN1 antibody - C-terminal region - Additional Information

Alias Symbol **KIAA1379, SDPI**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-PACSIN1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PACSIN1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PACSIN1 antibody - C-terminal region - Protein Information**PACSIN1 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PACSIN1 antibody - C-terminal region - Images



WB Suggested Anti-PACSIN1 Antibody Titration: 2.5µg/ml

ELISA Titer: 1:62500

Positive Control: Transfected 293T