

# GCGR / Glucagon Receptor Antibody (N-Terminus)

Rabbit Polyclonal Antibody Catalog # ALS10184

#### **Specification**

### GCGR / Glucagon Receptor Antibody (N-Terminus) - Product Information

Application IHC-P
Primary Accession P47871
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 54kDa KDa
Dilution IHC-P~~N/A

#### GCGR / Glucagon Receptor Antibody (N-Terminus) - Additional Information

**Gene ID 2642** 

#### **Other Names**

Glucagon receptor, GL-R, GCGR

#### Target/Specificity

Human Glucagon Receptor. BLAST analysis of the peptide immunogen showed no homology with other human proteins.

## **Reconstitution & Storage**

Long term: -70°C; Short term: +4°C

#### **Precautions**

GCGR / Glucagon Receptor Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

#### GCGR / Glucagon Receptor Antibody (N-Terminus) - Protein Information

#### Name GCGR

### **Function**

G-protein coupled receptor for glucagon that plays a central role in the regulation of blood glucose levels and glucose homeostasis. Regulates the rate of hepatic glucose production by promoting glycogen hydrolysis and gluconeogenesis. Plays an important role in mediating the responses to fasting. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors, such as adenylate cyclase. Promotes activation of adenylate cyclase. Besides, plays a role in signaling via a phosphatidylinositol-calcium second messenger system.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein. Note=Is rapidly internalized after ligand-binding




**Volume** 50 μl

## GCGR / Glucagon Receptor Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### GCGR / Glucagon Receptor Antibody (N-Terminus) - Images




Anti-GCGR / Glucagon Receptor antibody IHC of human Prostate, Carcinoma.



Anti-GCGR / Glucagon Receptor antibody IHC of human Skin, Melanoma.

#### GCGR / Glucagon Receptor Antibody (N-Terminus) - Background

G-protein coupled receptor for glucagon that plays a central role in the regulation of blood glucose levels and glucose homeostasis. Regulates the rate of hepatic glucose production by promoting glycogen hydrolysis and gluconeogenesis. Plays an important role in mediating the responses to





fasting. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors, such as adenylate cyclase. Promotes activation of adenylate cyclase. Besides, plays a role in signaling via a phosphatidylinositol-calcium second messenger system.

### GCGR / Glucagon Receptor Antibody (N-Terminus) - References

Macneil D.J.,et al.Biochem. Biophys. Res. Commun. 198:328-334(1994). Lok S.,et al.Gene 140:203-209(1994). Menzel S.,et al.Genomics 20:327-328(1994). Buggy J.J.,et al.Diabetes 46:1400-1405(1997). Ruckert C.,et al.J. Biol. Chem. 281:2306-2316(2006).