

SLC12A2 / NKCC1 Antibody (C-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS11034**Specification**

SLC12A2 / NKCC1 Antibody (C-Terminus) - Product Information

Application	IHC
Primary Accession	P55011
Reactivity	Human, Mouse, Hamster, Monkey, Pig, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	131kDa KDa

SLC12A2 / NKCC1 Antibody (C-Terminus) - Additional Information**Gene ID** 6558**Other Names**

Solute carrier family 12 member 2, Basolateral Na-K-Cl symporter, Bumetanide-sensitive sodium-(potassium)-chloride cotransporter 1, SLC12A2, NKCC1

Target/Specificity

Human SLC12A2 / NKCC1. BLAST analysis of the peptide immunogen showed no homology with other human proteins, except CDR2 (41%).

Reconstitution & Storage

Long term: -70°C; Short term: +4°C

Precautions

SLC12A2 / NKCC1 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

SLC12A2 / NKCC1 Antibody (C-Terminus) - Protein Information**Name** SLC12A2**Function**

Cation-chloride cotransporter which mediates the electroneutral transport of chloride, potassium and/or sodium ions across the membrane (PubMed:16669787, PubMed:32081947, PubMed:32294086, PubMed:33597714, PubMed:35585053, PubMed:36239040, PubMed:36306358, PubMed:7629105). Plays a vital

role in the regulation of ionic balance and cell volume (PubMed:16669787, PubMed:32081947, PubMed:32294086, PubMed:7629105).

Cellular Location

Basolateral cell membrane; Multi-pass membrane protein

Tissue Location

Expressed in many tissues.


Volume

50 µl


SLC12A2 / NKCC1 Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SLC12A2 / NKCC1 Antibody (C-Terminus) - Images

Anti-SLC12A2 / NKCC1 antibody ALS11034 IHC of human stomach.



Anti-SLC12A2 / NKCC1 antibody ALS11034 IHC of human prostate.

SLC12A2 / NKCC1 Antibody (C-Terminus) - Background

Electrically silent transporter system. Mediates sodium and chloride reabsorption. Plays a vital role in the regulation of ionic balance and cell volume.

SLC12A2 / NKCC1 Antibody (C-Terminus) - References

- Payne J.A.,et al.J. Biol. Chem. 270:17977-17985(1995).
Vibat C.R.,et al.Anal. Biochem. 298:218-230(2001).
Cantin G.T.,et al.J. Proteome Res. 7:1346-1351(2008).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).
Cruz-Rangel S.,et al.Am. J. Physiol. 301:C601-C608(2011).