

**PHAP1 / ANP32A Antibody (C-Terminus)**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS11262****Specification**

---

**PHAP1 / ANP32A Antibody (C-Terminus) - Product Information**

Application	WB, IHC-P, IF
Primary Accession	<a href="#">P39687</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	29kDa KDa
Dilution	WB~~1:1000 IHC-P~~N/A IF~~1:50~200

**PHAP1 / ANP32A Antibody (C-Terminus) - Additional Information****Gene ID** 8125**Other Names**

Acidic leucine-rich nuclear phosphoprotein 32 family member A, Acidic nuclear phosphoprotein pp32, pp32, Leucine-rich acidic nuclear protein, LANP, Mapmodulin, Potent heat-stable protein phosphatase 2A inhibitor I1PP2A, Putative HLA-DR-associated protein I, PHAPI, ANP32A, C15orf1, LANP, MAPM, PHAP1

**Target/Specificity**

Reacts with PHAP1 and has no cross-reaction to PHAP I2a and PHAP III.

**Reconstitution & Storage**

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

**Precautions**

PHAP1 / ANP32A Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

**PHAP1 / ANP32A Antibody (C-Terminus) - Protein Information****Name** ANP32A**Synonyms** C15orf1, LANP, MAPM, PHAP1**Function**

Multifunctional protein that is involved in the regulation of many processes including tumor suppression, apoptosis, cell cycle progression or transcription (PubMed:<a href="http://www.uniprot.org/citations/10400610" target="\_blank">10400610</a>, PubMed:<a href="http://www.uniprot.org/citations/11360199" target="\_blank">11360199</a>, PubMed:<a href="http://www.uniprot.org/citations/16341127" target="\_blank">16341127</a>, PubMed:<a href="http://www.uniprot.org/citations/16341127" target="\_blank">16341127</a>).

[18439902](http://www.uniprot.org/citations/18439902)). Promotes apoptosis by favouring the activation of caspase-9/CASP9 and allowing apoptosome formation (PubMed: [18439902](http://www.uniprot.org/citations/18439902)). In addition, plays a role in the modulation of histone acetylation and transcription as part of the INHAT (inhibitor of histone acetyltransferases) complex. Inhibits the histone- acetyltransferase activity of EP300/CREBBP (CREB-binding protein) and EP300/CREBBP-associated factor by histone masking (PubMed: [11830591](http://www.uniprot.org/citations/11830591)). Preferentially binds to unmodified histone H3 and sterically inhibiting its acetylation and phosphorylation leading to cell growth inhibition (PubMed: [16341127](http://www.uniprot.org/citations/16341127)). Participates in other biochemical processes such as regulation of mRNA nuclear-to-cytoplasmic translocation and stability by its association with ELAVL1 (Hu-antigen R) (PubMed: [18180367](http://www.uniprot.org/citations/18180367)). Plays a role in E4F1-mediated transcriptional repression as well as inhibition of protein phosphatase 2A (PubMed: [15642345](http://www.uniprot.org/citations/15642345)), PubMed: [17557114](http://www.uniprot.org/citations/17557114)).

### Cellular Location

Nucleus. Cytoplasm Endoplasmic reticulum. Note=Translocates to the cytoplasm during the process of neuritogenesis (By similarity). Shuttles between nucleus and cytoplasm.  
{ECO:0000250, ECO:0000269|PubMed:18180367}

### Tissue Location


Expressed in all tissues tested. Highly expressed in kidney and skeletal muscle, moderate levels of expression in brain, placenta and pancreas, and weakly expressed in lung. Found in all regions of the brain examined (amygdala, caudate nucleus, corpus callosum, hippocampus and thalamus), with highest levels in amygdala


## PHAP1 / ANP32A Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## PHAP1 / ANP32A Antibody (C-Terminus) - Images





Anti-ANP32A antibody IHC of human heart.

#### **PHAP1 / ANP32A Antibody (C-Terminus) - Background**

Implicated in a number of cellular processes, including proliferation, differentiation, caspase-dependent and caspase-independent apoptosis, suppression of transformation (tumor suppressor), inhibition of protein phosphatase 2A, regulation of mRNA trafficking and stability in association with ELAVL1, and inhibition of acetyltransferases as part of the INHAT (inhibitor of histone acetyltransferases) complex. Plays a role in E4F1-mediated transcriptional repression.

#### **PHAP1 / ANP32A Antibody (C-Terminus) - References**

- Vaesen M., et al. Biol. Chem. Hoppe-Seyler 375:113-126(1994).  
Li M., et al. Biochemistry 35:6998-7002(1996).  
Chen T.-H., et al. Mol. Biol. Cell 7:2045-2056(1996).  
Matilla A., et al. Nature 389:974-978(1997).  
Ota T., et al. Nat. Genet. 36:40-45(2004).