

HNRNPK / hnRNP K Antibody (clone F45 P9 C7)

Mouse Monoclonal Antibody Catalog # ALS11837

Specification

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Product Information

Application WB, IHC-P Primary Accession P61978

Reactivity Human, Mouse, Rat, Rabbit, Monkey,

Chicken, Goat, Horse, Dog

Host
Clonality
Monoclonal
Calculated MW
Dilution
Muse
Monoclonal
51kDa KDa
WB~~1:1000
IHC-P~~N/A

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Additional Information

Gene ID 3190

Other Names

Heterogeneous nuclear ribonucleoprotein K, hnRNP K, Transformation up-regulated nuclear protein, TUNP, HNRNPK, HNRPK

Target/Specificity

Ovalbumin-conjugated synthetic Peptide SVKQYSGKFF

Reconstitution & Storage

+4°C, avoid freezing

Precautions

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) is for research use only and not for use in diagnostic or therapeutic procedures.

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Protein Information

Name HNRNPK

Synonyms HNRPK

Function

One of the major pre-mRNA-binding proteins. Binds tenaciously to poly(C) sequences. Likely to play a role in the nuclear metabolism of hnRNAs, particularly for pre-mRNAs that contain cytidine-rich sequences. Can also bind poly(C) single-stranded DNA. Plays an important role in p53/TP53 response to DNA damage, acting at the level of both transcription activation and repression. When sumoylated, acts as a transcriptional coactivator of p53/TP53, playing a role in p21/CDKN1A and 14-3-3 sigma/SFN induction (By similarity). As far as transcription repression is concerned, acts by interacting with long intergenic RNA p21 (lincRNA-p21), a non-coding RNA



induced by p53/TP53. This interaction is necessary for the induction of apoptosis, but not cell cycle arrest. As part of a ribonucleoprotein complex composed at least of ZNF827, HNRNPL and the circular RNA circZNF827 that nucleates the complex on chromatin, may negatively regulate the transcription of genes involved in neuronal differentiation (PubMed:33174841).

Cellular Location


Cytoplasm. Nucleus, nucleoplasm. Cell projection, podosome. Note=Recruited to p53/TP53-responsive promoters, in the presence of functional p53/TP53 (PubMed:16360036). In case of ASFV infection, there is a shift in the localization which becomes predominantly nuclear (PubMed:18775702)

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Images



HeLa cell extracts were resolved by electrophoresis, transferred to nitrocellulose, and probed...





Anti-HNRNPK / hnRNP K antibody IHC of human colon.

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - Background

One of the major pre-mRNA-binding proteins. Binds tenaciously to poly(C) sequences. Likely to play a role in the nuclear metabolism of hnRNAs, particularly for pre-mRNAs that contain cytidine-rich sequences. Can also bind poly(C) single- stranded DNA. Plays an important role in p53/TP53 response to DNA damage, acting at the level of both transcription activation and repression. When sumoylated, acts as a transcriptional coactivator of p53/TP53, playing a role in p21/CDKN1A and 14-3-3 sigma/SFN induction (By similarity). As far as transcription repression is concerned, acts by interacting with long intergenic RNA p21 (lincRNA-p21), a non-coding RNA induced by p53/TP53. This interaction is necessary for the induction of apoptosis, but not cell cycle arrest.

HNRNPK / hnRNP K Antibody (clone F45 P9 C7) - References

Matunis M.J., et al. Mol. Cell. Biol. 12:164-171(1992). Dejgaard K., et al. J. Mol. Biol. 236:33-48(1994). Totoki Y., et al. Submitted (MAR-2005) to the EMBL/GenBank/DDBJ databases. Humphray S.J., et al. Nature 429:369-374(2004). Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.